



M|O|L
get flexibility



System 3 S

Seal for pressure pipes | Ø 63 - 800 mm

Suitable for use in drinking water supply pipes



Product description:

The SYSTEM 3S lip seal ring is developed for pressure pipes and fittings in compliance with EN 1452 and EN 1456 and meets the requirements of EN 681-1, type WC.

The unique seal design with three lips ensures the best connecting properties and a reliable pipe connection. The first lip centres the end of the pipe, the second lip retains any contaminants and the third, large sealing lip optimally seals the pipe connection.

The advantages:

- The outstanding long-term elasticity of the rubber seal ensures a durable sealing effect
- The three-lip design minimises the connecting forces
- The seal is not pushed out when the pipes are laid
- Use of the latest technologies ensures an optimum cost-benefit ratio
- A long-term experience and monitored quality systems (including DIN ISO 9001:2008) guarantee the highest possible safety and reliability

Article No.	DN	DIAM	Ø D	b	h
700	50	63	83,5 ± 0,5	10,3 ± 0,4	18,1 ± 0,4
701	65	75	98,0 ± 0,5	11,5 ± 0,4	20,3 ± 0,4
702	80	90	115,5 ± 0,5	12,8 ± 0,4	22,2 ± 0,4
703	100	110	138,3 ± 0,8	14,2 ± 0,4	24,2 ± 0,4
704		125	155,2 ± 0,8	15,1 ± 0,4	25,5 ± 0,4
705	125	140	171,5 ± 0,8	15,8 ± 0,4	26,1 ± 0,4
706	150	160	194,4 ± 1,0	17,2 ± 0,4	27,8 ± 0,4
707		180	216,4 ± 1,0	18,2 ± 0,4	28,9 ± 0,4
708		200	238,3 ± 1,0	19,1 ± 0,4	29,2 ± 0,4
709	200	225	266,2 ± 1,3	20,6 ± 0,4	31,4 ± 0,4
710		250	293,7 ± 1,3	21,0 ± 0,4	32,9 ± 0,4
711	250	280	329,1 ± 1,7	24,6 ± 0,5	37,3 ± 0,4
712	300	315	367,7 ± 1,7	26,4 ± 0,5	38,9 ± 0,4
713		355	413,0 ± 2,2	29,0 ± 0,6	42,5 ± 0,4
714		400	464,1 ± 2,2	32,2 ± 0,6	46,4 ± 0,4
715	400	450	518,7 ± 2,6	34,4 ± 0,6	48,6 ± 0,5
716		500	575,6 ± 2,8	37,8 ± 0,8	53,6 ± 1,0
717		560	643,0 ± 3,2	41,5 ± 0,8	57,8 ± 1,0
718		630	721,4 ± 3,6	45,7 ± 0,8	63,0 ± 1,2
719		710	811,0 ± 4,0	50,5 ± 0,8	69,2 ± 1,2
720		800	902,2 ± 4,5	54,3 ± 1,0	72,4 ± 1,5



Subject to technical modifications. With regard to the material properties given in the tables and diagrams we only guarantee the figures required by the relevant standards. Our product information is supplied to the best of our knowledge. However, we do not accept any legal liability for the contents. Our General Terms and Conditions of Sale are available online at www.mol-elastomer.de.